




AV PRO  
MK3



ANGELBIRD.COM

YOUR CREATIVITY  
OUR PASSION



AS AN AUDIO/VIDEO PROFESSIONAL, YOU KNOW THAT WHEN THE ACTION STARTS, THERE'S NO TIME FOR SECOND-GUESSING – YOU AND YOUR GEAR MUST BE READY TO GO, AND YOU EITHER ACT WITH CONFIDENCE OR RISK LOSING THE SHOT. FEATURES ROBUST 9MM CASING AND HIGH COMPATIBILITY WITH YOUR CAMERAS, RECORDERS, AND PLAYERS.

A  
V  
P  
R  
O  
M  
K  
3

#### SPECIFICATIONS AND FEATURES



Sustained read speed **560 MB/s**  
Sustained write speed **500 MB/s**



**Shock & temperature proof**



**250GB | 500GB | 1TB**



**X-ray & magnetic proof**



**Stable Stream™**



**ESD & overload protection**



**Sticker-free™**  
hassle free and environmentally friendly



**Rock-solid build**

S S D

# SPECIFICATIONS / ORDERING

# AVPRO MK3

## GENERAL SPECIFICATIONS

Capacity  
250GB | 500GB | 1TB

Dimensions  
100.2 × 69.9 × 9.2 mm  
(3.94 × 2.75 × 0.36 in)

Form Factor  
2.5 in, 9 mm

Weight  
~ 70.0g

## TECHNICAL SPECIFICATIONS

Interface  
SATA 6Gb/s, 3Gb/s and 1.5Gb/s supported  
SATA 3.1 compliant

Over provisioning  
~ 9 %

Flash  
Grade A Synchronous MLC

Features  
Temperature sensor, overload protection, TRIM, ECC, EMS protection, built-in cache, SMART

## PERFORMANCE SPECIFICATIONS

Sustained Read Speed <sup>1</sup>  
Up to 560 MB/s

Sustained Write Speed <sup>1</sup>  
Up to 500 MB/s

Access Time  
~ 0.1 ms

## RELIABILITY SPECIFICATIONS

MTBF  
> 2,000,000 hours

Data Reliability  
Built-in EDC / ECC function

Data Retention  
10 years at 25°C

Endurance  
250 GB: up to 1,125 TBW  
500 GB: up to 2,250 TBW  
1 TB: TBA

Certifications  
RoHS, FCC and CE compliant, REACH

## ELECTRICAL SPECIFICATIONS

DC input voltage  
5V ± 5%

Power usage (idle/max)  
250 GB: 0.35W | 2.6W  
500 GB: 0.35W | 3.0W  
1 TB: TBA

## ENVIRONMENTAL SPECIFICATIONS

Shock resistance (operating)  
2000G

Vibration resistance (operating)  
20G

Operating Temperature  
0°C ~ +70°C

Storage Temperature  
-55°C ~ +85°C

Operating Humidity  
5% to 95% non-condensing

## WARRANTY<sup>2</sup>

3-year limited warranty

## PACKAGE CONTENT

- SSD AVPRO MK3
- Label sticker
- Activation code for the full limited warranty and additional free software licenses and content

## RETAIL PACKAGING DETAILS

Box dimension  
11.8 × 11.0 × 3.4 cm  
(4.65 × 4.33 × 1.33 in)

Weight  
~150.0g / ~5.28 oz

<sup>1</sup> Measured with ATTO Benchmark Tool 2.46

<sup>2</sup> To receive the full limited warranty, the product needs to be registered on the Angelbird Personal Service Portal within 30 days after purchase. If not registered within this period, the market-specific legal guarantee period comes into force.

Mac® is a registered trademark of Apple Inc.  
Windows® is a registered trademark of Microsoft Corp.  
Linux® is a registered trademark of Linus Torvalds.

## ORDERING INFORMATION

	Capacity	SKU	EAN	UPC	EUR	USD	SFR
●	250GB	AVP250MK3	9120056583782	812937022600	149,90	169,90	169,90
●	500GB	AVP500MK3	9120056583751	812937022570	259,90	269,90	269,90
●	1TB	TBA	TBA	TBA	TBA	TBA	TBA

All listed prices are recommended retail prices, NET without local TAX and VAT.

# SSD