

THERE TO CAPTURE YOUR CREATIVE MOMENTS








TODAY'S ENDLESS BIT DEPTH, HIGH FRAME RATES, AND HIGH RESOLUTIONS-4K AND BEYOND-REQUIRE STORAGE SOLUTIONS THAT ARE JUST AS ADVANCED. MEMORY CARDS NEED TO BE FAST, HIGH-CAPACITY, WIDELY COMPATIBLE AND, OF COURSE, EXTREMELY RELIABLE. OUR AV PRO SD CARDS ARE BUILT TO MEET THOSE DEMANDING CRITERIA, NOT ONLY FOR DSLR SYSTEMS BUT ALSO WITH DRONES, WHERE EXTREMES OF TEMPERATURE AND HUMIDITY, AS WELL AS SHOCK, ARE COMMON CHALLENGES.

SPECIFICATIONS AND FEATURES



Specifications are subject to change without notice. Specifications are provided "as is" without warranty of any kind.

0191007111

MEMORY CARD

SPECIFICATIONS / ORDERING

GENERAL SPECIFICATIONS

Capacity 64 | 128 | 256 GB

 $\begin{array}{l} \text{Dimensions} \\ 32.0 \times 24.0 \times 2.1 \, \text{mm} \\ (1.26 \times 0.94 \times 0.08 \, \text{in}) \end{array}$

Form Factor SD

Weight ~ 2.0 g

TECHNICAL SPECIFICATIONS

Interface SDXC[™], SD 5.0, UHS-II

Features Write protection by mechanical switch, wear leveling, power management for low power usage, ECC, water resistant

PERFORMANCE SPECIFICATIONS

Sustained Read Speed¹ up to 280 MB/s Sustained Write Speed¹ up to 260 MB/s

Sequential Read Speed¹ up to 300 MB/s Sequential Write Speed¹ up to 280 MB/s

RELIABILITY SPECIFICATIONS

Data Reliability ECC function

Certifications RoHS, CE, FCC

ELECTRICAL SPECIFICATIONS

DC input voltage 1.8 V ± 5 %

Power usage (idle/max) 2 mW / 1.2 W

ENVIRONMENTAL SPECIFICATIONS

Operating Temperature -25 °C ~ +85 °C

Storage Temperature -40 °C ~ +85 °C

Operating Humidity 25 % to 85 % non-condensing

Works with ³

Canon | Sony | Leica | Nikon | Fujifilm | Blackmagic Design | Hasselblad | Pentax | Panasonic | Olympus | Lumix | and others

WARRANTY²

3-Year Limited Warranty

PACKAGE CONTENT

AV PRO SD MK2 V90
Activation code for the full limited warranty and additional free software licenses and content

RETAIL PACKAGING DETAILS

Box dimension 113.0 × 102.0 × 10.5 mm (4.45 × 4.02 × 0.41 in)

Weight ~ 30.0 g | ~1.05 oz.

- ¹ Speed based on internal testing. Actual transfer rates and capacity may vary depending on the product model, system bardware and other factors.
- the product model, system hardware and other factors. ² To receive the full limited warranty, the product needs to be registered on the Angelbird Personal Service Portal within 30 days after purchase. If not registered within this period, the market-specific legal guarantee period comes into force.
- ³ For an up-to-date compatibility list, please visit the product site at www.angelbird.com

SD[™] is a registered trademark of SD-3C LLC. Blackmagic Design® is a registered trademark of Blackmagic Design Pty. Ltd. Canon® is a registered trademark of Canon Inc. Song® is a registered trademark of Sony Corporation. NIKON is a trademark of NIKON CORPORATION. Fijifilm® is a registered trademark of Hasselblad. PANASONIC® is a registered trademark of Hasselblad. PANASONIC® is a registered trademark of Panasonic Corp. Leica® is a registered trademark of Danasonic Corp. Leica® is a registered trademark of Olympus Corporation. Olympus® is a registered trademark of Olympus Corporation. ULMIX® is a registered trademark of Olympus Corporation. Other product names used herein are for identification purposes only and may be trademarks of their respective owners. Angelbird disclaims any and all rights in those marks.

ORDERING INFORMATION

÷	Capacity	SKU	EAN	UPC
•	64 GB	AVP064SDMK2V90	9120056584918	812937023737
	2 × 64 GB	AVP064SDMK2V90X2	9120056584925	812937023744
•	128 GB	AVP128SDMK2V90	9120056584932	812937023751
	2 × 128 GB	AVP128SDMK2V90X2	9120056584949	812937023768
•	256 GB	AVP256SDMK2V90	9120056584956	812937023775
	2 × 256 GB	AVP256SDMK2V90X2	9120056584963	812937023782

Specifications are subject to change without notice. Specifications are provided "as is" without warranty of any kind.

201910071114

MEMORY CARD